

METZ®

SWIMMING POOL TILES







COMPETITION SWIMMING POOLS

Metz Swimming Pool tiles are produced in a modular format:

250 x 125mm (nett size 244 x 119mm)

This format facilitates precision placement to required FINA competition dimensions, using full piece tiles.



FITNESS, CLUBS AND SCHOOLS

A swimming pool is a major investment that needs to be constructed carefully with quality materials.

Metz Swimming Pool tiles have stood the test of time and provide many years of premium service for these facilities.



HYDROTHERAPY POOLS

Hydrotherapy pools have special requirements under Australian Standards as specified in AS 3979:2006 Hydrotherapy pools:

• slip resistant floor finishes in light colours with colour contrast edge nosings



SWIM SCHOOLS

Learn to swim pools require safety and durability. Metz tiles provide the most durable finish with minimal maintenance.

Lost time and empty pools to carry out repairs or re-application of other finishes is not only expensive, but produces a significant risk of clients going elsewhere.




LEISURE AND FUN

Metz Swimming Pool tile range offers all the essentials to provide a safe and fun environment for:

- Toddler pools
- Water play areas
- Leisure pools
- Splash pads

STANDARD FORMAT



1200 - MODULAR FORMAT 250 x 125mm (nett size 244 x 119mm)




STANDARD SWIMMING POOL RANGE COLOURS



colour no. 'B' ANTI SKID colour desc. 906 White 996 Black 716 Light Blue 786 Dark Blue

ROUNDED EDGES



Standard swimming pool colours are available with glazed rounded edges - add the above specified abbreviations to the tile code.

Other colours are possible via special order.




Our standard swimming pool range is generally stocked by Metz in Australia.



GENERAL COLOURS - SEMI GLOSS

Metz Swimming Pool tiles come in a large array of colours, available in a versatile semi gloss finish suitable for many applications.






Colours shown on this page are generally only stocked in small quantities.


These can be imported to order in both smooth and slip resistant finishes subject to lead times and minimum production quantities.

STANDARD SWIMMING POOL RANGE - NOSINGS

Our extensive selection includes matching special pieces and nosings, all in a highly slip resistant 'C' antiskid finish.



STANDARD SWIMMING POOL RANGE - STRIP NOSINGS






STANDARD SWIMMING POOL RANGE - INFILLS




STANDARD SWIMMING POOL RANGE - TRIMS AND SPECIAL PIECES

Metz offer a range of trims and special pieces to complement our modular format swimming pool tile range.







DEPTH MARKERS


BESPOKE JET CUT DEPTH MARKERS

Metz offer specially manufactured depth markers, made for each project using our pool and concourse tile ranges. Our bespoke manufacturing process allows for markers to be placed directly into the concourse tiles for a seamless finish.

SHOP DRAWINGS

Metz offer shop and tile set out drawings for ease of installation.


Waves Fitness and Aquatic Centre, NSW Courtesy of Crystal Pools/Donovan Payne Architects



OTHER POOL EDGE SYSTEMS

WEISBADEN high water level pool edge system combines the handhold, overflow edge and channel into one shaped ceramic piece.

The water level is approximately 30mm above the pool surrounds, making it easier for swimmers to exit the pool.



CONCOURSES AND SURROUNDS

Swimming pool surrounds require the highest level of slip resistance. Excited children and distracted adults require secure footing for the critical barefoot areas.

Metz only recommend tiles that achieve P5 and wet barefoot "C" rated tiles for these applications.

Our experience is that many facilities have been dissatisfied with the performance of their "B" rated tiles, which are the **minimum** recommendation of the Standards Australia Slip Resistance Handbooks HB197 and HB198.

CONCOURSE AND SURROUNDS OPTIONS

MicroGRIP® is a high performance slip resistant finish, ideal for demanding areas like swimming pool surrounds and concourses.

The flat, mild textured surface of the MicroGRIP® finish provides the ideal balance between long term sustainable slip resistance and ease of cleaning.

 $\text{MicroGRIP}^{\texttt{R}} \,/\, \text{P5} \,/\, \text{C}$



STRADALE CLAY



STRADALE DARK



STRADALE SILVER



TIMELESS BEIGE



MISCELA GREIGE



TIMELESS DARK GREY



Vortice Lava



TIMELESS LIGHT GREY



VORTICE ROCK



TIMELESS TREND



VORTICE SNOW

Most Metz porcelain tile ranges can be produced in the MicroGRIP[®] surface, however minimum quantities may apply for items other than shown here or on our other architectural tile brochures.


CONCOURSE AND SURROUNDS OPTIONS

Where there is a preference for profiled surface tiles, Metz can offer the traditional 'star' profiled tiles.

 $\rm STAR$ / R12 / V4 / C







CHANGE ROOMS

The surrounds of a commercial swimming pool area have to safely and hygienically allow the movement of patrons into the facility, from the change rooms and around constantly wet surfaces. The flooring must be easily kept clean and its appearance must be attractive. Shower areas, steps and ramps require enhanced slip resistance values.

Metz Spettro series features modular coordination and a huge range of colours. Spettro is available in two glazed wall finishes - matt and gloss. Spettro tiles are porcelain body, meaning that installation within the pool is possible, however, are primarily offered for walls outside the pool itself. Where mesh mounted mosaics are used inside the pool tank, epoxy adhesive must be used.

🗍 50 x 50

🔵 25 × 25



(50 × 50

(25 × 25

() 50 × 50

(50 × 50

🔵 25 x 25

(→ 30 × 100

(50 × 50

(25 × 25

🗐 30 x 100

COTONE

50 x 50	-
60 x 250	100 x 100
200 x 200	100 x 200
100 x 300	-
200 x 600	150 x 150
	300 x 300
── 50 × 50	
🔵 25 x 25	
\bigcirc	
◯ 30 × 100	

CANAPA	
50 x 50	-
_	100 x 100
200 x 200	-
100 x 300	-
200 x 600	-
	-
── 50 × 50	
) 25 × 25	



50 x 50	-
-	100 x 100
200 x 200	-
-	-
-	-
	_
── 50 × 50	

TORTOR	A
50 x 50	-
60 x 250	100 x 100
200 x 200	_
100 x 300	_
200 x 600	_
	_

── 50 × 50 0 25 × 25



TESTA DI MORO

50 x 50	-
_	100 x 100
200 x 200	-
	_
_	-
	-
── 50 × 50	
0 25 x 25	





50 x 50	-
60 x 250	100 x 100
200 x 200	-
100 x 300	-
200 x 600	-
	-
── 50 × 50	
🔵 25 x 25	
30 x 100	

ALABASTRO	

50 x 50	_
_	100 x 100
200 x 200	-
-	-
-	-
	-
── 50 × 50	
0 25 x 25	

MATT



_

_

_

CEDRO	
50 x 50	-
-	100 x

_	100 x 100
200 × 200	-
	-
	-
🗍 50 x 50	
🔘 25 x 25	



50 x 50	-
60 x 250	100 x 100
200 x 200	-
100 x 300	-
200 x 600	-
	_
── 50 × 50	
25 x 25	



-

_

_

_

_

100 x 100

50 x 50

200 x 200

⊕ 50 × 50

25 x 25

_

-

_

PAPRIKA

50 x 50 _ 60 x 250 100 x 100 200 x 200 _ -_ _ -_

── 50 × 50



CORALLO

50 x 50	-
_	100 x 100
200 x 200	-
-	-
-	-
	-
A	



_

── 50 × 50

() 25 x 25



50 x 50	-
-	100 x 100
200 x 200	-
-	-
-	-
	-
─ 50 × 50	

() 25 × 25



50 x 50

JO X JO	
_	100 x 100
200 x 200	-
-	-
-	-
	-
── 50 × 50	
25 x 25 🔿	

ARENARIA

50 x 50	-
_	100 x 100
200 x 200	-
	-
	-
	-
── 50 × 50	

() 25 x 25

VERMIGLIO

50 x 50	-
-	100 x 100
200 x 200	-
100 x 300	-
200 x 600	-
	-
── 50 × 50	



50 x 50 _ 60 x 250 100 x 100

00 // 200	100 / 11
200 x 200	-
-	-
-	-
	-
── 50 × 50	
🔵 25 x 25	



50 x 50	-
60 x 250	100 x 100
200 x 200	-
_	-
_	-
	-
── 50 × 50	
0 25 x 25	



-60 x 250 100 x 100 200 x 200 _ _ _ _

-

-

── 50 × 50

____ ── 50 × 50 () 25 x 25



-

-



MELANZANA

-	100 x 100
000 000	
200 x 200	_
	-
	-
	-

GLOSS




MATT



50 x 50	-
60 x 250	100 x 100
200 x 200	-
100 x 300	-
200 x 600	-
	-
0 25 × 25	



-
100 x 100
-
-
-
-



50 x 50	-
-	100 x 100
200 x 200	-
_	-
	-
	-
─ 50 × 50	
0 25 x 25	



-

_

-

_ _

_

_ _ _ _

100 x 100

100 x 100

60 x 250

200 x 200

100 x 300

200 x 600

── 50 × 50

25 x 25

POLVERE

50 x 50	-
60 x 250	100 x 100
200 x 200	-
100 x 300	-
200 x 600	-
	-
🗍 50 x 50	
🔘 25 × 25	



NOTTE 50 x 50

50 x 50	-
_	100 x 100
200 x 200	-
	-
	-
	-

GLOSS



BERILLO	
50 x 50	
JU X JU	-
-	- 100 x 100
- 200 x 200	- 100 x 100 -
	- 100 x 100 - -
	- 100 x 100 - -
	- - - - -
	- - - -

NAVY
50 x 50
-
200 x 200
-

── 50 × 50 25 x 25







PETROLIO

50 x 50	-
_	100 x 100
200 x 200	-
_	-
_	-
	-
── 50 × 50	

MATT

50 x 50	_
_	100 x 100
200 x 200	-
	-
	-
	-
── 50 × 50	
Ŏ 25 x 25	

MARINA	
MARIINA	
50 x 50	-
_	100 x 10
200 x 200	-
-	-
-	-
	-
── 50 × 50	
0 25 x 25	

BAIA		
καια		

50 x 50	-
_	100 x 100
200 x 200	_



100 x 100

_

_

_

_

60 x 250

200 x 200

── 50 × 50


() 25 x 25

-

_

EDERA

() 25 x 25



_

GLOSS



() 25 x 25

SILICIO

50 x 50	-
_	100 x 100
200 x 200	-
-	-
_	-
	-
A	



STAGNO

50 x 50	-
_	100 x 100
200 x 200	-
-	-
-	-
	-
── 50 × 50	

МАП

ANICE	
50 x 50	-
60 x 250	100 x 100
200 x 200	-
-	-
-	-
	-
() 50 × 50	



FELCE	
50 x 50	-
60 x 250	100 x 100
200 x 200	-
_	-
-	-
	-
── 50 × 50	
0 25 x 25	

<i>i</i> ela	
0 x 50	-
	100 x 100
00 x 200	_

	100 × 10
200 x 200	-
100 x 300	-
200 x 600	-
	-
25 x 25	

5



KIWI

50 x 50	-
_	100 x 100
200 x 200	-
-	-
-	-
	_
⊕ 50 × 50	
) 25 x 25	



50 x 50	_
-	100 x 100
200 x 200	-
_	-
_	-
	-
⊕ 50 × 50	

GLOSS



- 200 x 200 -
- -

_





LIME

50 x 50	-
_	100 x 100
200 x 200	-
_	-
_	-
	-
→ 50 × 50	

25 × 25

WALL & FLOOR TILE OPTIONS - SPETTRO UNGLAZED

Spettro unglazed full body porcelain tiles are suitable for walls, and for floor applications that are 'occasionally wet' such as change rooms that are mainly dry, internal lobbies or access areas.



FLUORO	
	-
	100 x 100
200 x 200	-
-	-
_	_
	_
50 x 50	
(25 × 25	

ALLUMINIO	
-	-
-	100 x 100
200 x 200	-
-	-
-	-



-	-
60 x 250	100 x 100
200 x 200	-
	-
	_
	_
─ 50 × 50	
25 x 25 🔿	
Butterfly	



-	-
60 x 250	100 x 100
200 x 200	-
_	-
_	-
	_
── 50 × 50	
🔘 25 x 25	
🕀 Butterfly	



b0 x 250	100 x 100
200 x 200	-
	-
	-
	_

 50 x 50

 25 x 25

 Butterfly



XENO

-	-
60 x 250	100 x 100
200 x 200	-
-	-
-	-
	-
🔘 25 x 25	
💮 Butterfly	



SABBIA

Butterfly

-	-
_	100 x 100
-	-
_	_
_	_
	_
50 × 50	

_	
AGATA	
-	-

-	-
-	100 x 100
200 x 200	-
	_
	-
	_
\bigcirc 50 x 50	



TERRA

── 50 × 50


-	-
_	100 x 100
	-
-	-
	-
	-



_ 100 x 100 _ _ _ _

─ 50 × 50










RUGGINE

) x 100



WALL & FLOOR TILE OPTIONS - SPETTRO UNGLAZED

Spettro unglazed full body porcelain tiles are suitable for walls, and for floor applications that are 'occasionally wet' such as change rooms that are mainly dry, internal lobbies or access areas.



OSSIDO	
_	-
	100 x 100
_	
	_

── 50 × 50

_

_



ZAFFIRO

_	-
-	100 x 100
200 x 200	-
_	-
_	-
	_

(50 × 50

Butterfly

100 x 100 _ _ _ _ (50 × 50

ACQUA

_

_

Butterfly

── 50 × 50







METZ FIXING MATERIALS

Metz offer a range of installation materials manufactured in our quality acredited facility in Clayton, VIC.

All products are made to Australian standards, for the Australian market.

Our complete, tailored pool specification is available upon request.

Products:

METZ 17M Water washable epoxy adhesive for mosaic tiles

METZ PR1 One-part cement based render

METZ 4HB-EN Epoxy novolac corrosion resistant coating

METZ 9HB High-build epoxy coating

METZ 11C Cementitious grout

METZ 11E Water washable epoxy grout

METZ 27 Premium ceramic tile adhesive

METZ 27M Flexible cementitious membrane

METZ 27SR Sulphate resisting ceramic tile adhesive

METZ ANTISLIP ADDITIVE Thermoplastic polymer powder







INSTALLATION

Purpose made, high strength two-part adhesives such as Metz 27 (C2TES2 type) are recommended.

Tiles must be installed in accordance with Australian Standard AS 3958.1:2007 refer appendix E - Wet conditions (continuously immersed). Particular attention to be paid to paragraph E2.6 noting that "the tiles should be solidly bedded so that voids are eliminated beneath them as far as possible".

Metz recommends the following methods to ensure minimal voids are present in the adhesive.

- back buttering each tile and then;
- systematically placing tiles onto notched adhesive ribs and;
- immediately working the tile back and forth across the ribs by 10 to 15mm

Voids underneath swimming pool tiles are believed to be a major cause of adhesion failure where the voids can interconnect.

Where tiles are not worked into adhesive ribs, these ribbed voids provide the perfect interconnection for water flow underneath the tile, leading to failure.

TECHNICAL INFORMATION

Metz recommend higher slip resistance than the current Standards Australia slip resistance handbook minimums of a "B wet barefoot" rated tile. It is often poorly understood that the recommendations in these handbooks are in fact minimums, and that the handbooks strongly advise designers to consider many factors in their designs such as maintenance, contamination, the nature of users (age, gait, crowding), slope, lighting and footwear (or lack of).

The latest Slip Resistance Handbook (HB198) and latest revision of AS 4586:2013 also make significant note on the effects of wear on slip resistance. It is widely recognised that slip resistance on all surfaces declines from wear over time. Many surface types are particularly susceptible to loss of slip resistance, following what would appear to be a relatively minimal amount of initial wear.

Accelerated Wear Test (AWT) methods are designed to enable specifiers to determine if a product is susceptible to rapid and significant decline in slip resistance. The result from 500 wear (scrub) cycles is excellent at predicting poorly performing products that otherwise seem suitable when brand new. Results from 5,000 wear (scrub) cycles provide prediction of results after long term use.

Accelerated wear testing is only used in conjunction with wet pendulum testing. For this reason all Metz recommended concourse tiles achieve P5 ratings on the pendulum test and C ratings on the wet barefoot ramp test.

Metz strongly recommend both Barefoot C / Wet Pendulum P5 rated tiles for the following areas:

- Pool floors water depth <1.5m
- Pool edges
- Raised hobs
- Lap pool turning walls
- Steps and stairs
- Underwater seats and ledges
- Pool concourses and surrounds
- Shower areas


For locations that are only 'occasionally wet' tiles with a P4 rating may offer sufficient slip resistance for:


- Internal entries/lobbies
- Change rooms
- Amenities



Poor selection can result in a long term problem that is expensive to rectify and leaves operators vulnerable to claims following a slip incident.









**** * QUALITY EUROPEAN TILES

<a> № 1300 730 062<a> metz.au

CONTACT US



All sizes are nominal, please consult Metz for exact dimensions of available stock at time of ordering Minimum quantities may apply for other than the items shown Colour reproduction from printing is indicative only - please consult Metz for product samples

REV: 05/25